4-683

MINERAL SURVEY No. 3677

FIELD NOTES

		cobson and J. Krug	
		KNOWN AS THE	
		PILGRIM Lode	
			Mining District,
	Cochise	County, A1	rizona.
ection .	18 , Town	nship 23 S	, Range 24 E, G & S R B &
Surv	eyed under instruction	ns dated May 17	1920
		Z. Delnh T	
			- Mote
		by Ralph I	U. S. Mineral Surveyor.
	Claim located		U. S. Mineral Surveyor.
		October 3 June 16.	U. S. Mineral Surveyor.
	Survey commenced	October 3 June 16,	U. S. Mineral Surveyor, 19 16
	Survey commenced	June 16. June 16 s' attorney. S. K.	U. S. Mineral Surveyor. 19 16 19 20 Williams
	Survey commenced Survey completed Address of claimant	June 16. June 16 s' attorney. S. K.	U. S. Mineral Surveyor. , 19 16 , 19 20 , 19 20 Williams. sbee, Arizona.

PILGRIM Lode.

Beginning at Cor. No. 1, the S. W.Cor. identical with location and with Cor. No. 4 Survey No. 3498 Yaqui Scout lode and the north end center of Survey No. 3583 Republic Ho. 7 lode, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed 1-3677 P, whence a quartzite ledge with 23 x 24 x 28 inches high e exposure chiseled B R x 1-3677 brs N 87° 06' W 4.0 ft. and a second quartzite ledge with 12 x 16 x 19 inches high exposure with like chisaling brs N 46° 54' E 11.0 ft. The 1/4 Cor. Between Secs. 13, T 23 S, R 23 E and 18, T 23 S, R 24 E, G & S R B & M brs N 73° 30' W 377.4 ft.

thence N 1º 20' W

along line 4-3 of Survey No. 3498 Yaqui Scout lode to Cor. No. 2, the N W Cor., identical with Cor. No. 3 of Survey No. 3498 Yaqui Scout lode and the S E Cor of Verde lode unsurveyed, a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 2-3677 p. whence a granite ledge with 41 x 44 x 48 inches high exposure chiseled B R x 2-3677 brs N 86° 03' E 7.0 ft and a quartzite rock in place 19 x 37 x 11 inches high a above ground with like chiseling brs S 4° 20' E 46.9 ft. and the original location for the north west corner being a mound of stones 3 ft. high with 3 ft. base brs S 79° 49' W 276.8 ft.

thence N 79° 49' E

to original location for the north end center also Cor.

No. 3, the N. E. Cor., being a pine post 4 ft. long 4

inches square set 18 inches in the ground in a mound of
stones and scribed 3-3677 P, whence the original location
for the north east corner being a mound of stones 3 ft.

high with 3 ft. base brs N 79° 49' E 300.0 ft.

thence S 23° 22' E

19.4 to the SW and NW Cors of Verde No. 6 lode and May-flower lodes both unsurveyed respectively

1519.4 to Cor. No. 4, the S E Cor., identical with location and with Cor. No. 3 of Survey No. 3607 Cliff lode and the S W Cor of the Mayflower lode unsurveyed, a red-wood post 4 inches square 30 inches above ground in a mound of stones and scribed 4-3677 P w no bearings available.

thence S 79° 49' W

along line 3-2 Survey No. 3607 Cliff lode to south end center, identical with location and with Cors 2 and 3 of Survey No. 3607 Cliff lode and Survey No. 3583 Republic No. 7 lode respectively, a redwood post 4 inches square 30 inches above ground in a mound of stones and scribed S E Ct P 3677

600.0 along line 3-2 Survey No. 3583 Republic No. 7 lode to Cor. No. 1, the place of the beginning.

LEDGE

The presumed course of the vein on this claim is from the south end center N 11° 59' W 1480.1 ft.

AREA

Total and net of the Pilgrim lode - - - - 10.582 A

LOCATION

This survey is situated in Sec. 18, T 23 S, R 24 E, G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

IMPROVEMENTS

I hereby certify that the value of the labor and the improvements placed upon this claim by the claimants or their grantors was at time of survey as follows:-

No. 1 Discovery cut 12 x 10 x 12 ft long brg N 12° W mouth of which brs from south end center on lode line 700 ft. Value - - - - - - - - - - - - - - - 180.00

ADJOINING CLAIMS

East Verde No. 6 unsurveyed owndd by C. W. Rambo Mayflower lodee insurveyed owned by I. Jacobson et al

South Survey No. 3583 Republic #0. 7 lode Survey No. 3607 Cliff lode

West

Survey No. 3498 Yaqui Scout lode

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 c transit. The courses were deflected from the true meridian as determined for Eurvey No. 3498. Distances were measures with 100 and 300 ft. steel tapes. Magnetic variation 12° 30' East at all corners.

REPORT

The 1/4 Cor. between Secs. 13, T 23 S, R 23 E and 18, T 23 S, R 24 E? G & S R B & M is an iron pipe with copper cap properly marked.

Mayflower lode unsurveyed, the N W Cor is a 4 x 4 red-wood post.

Insert *

Rayth L. Moss
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

June 17, 1920.

It was found on making this survey, that the south end line of the verde No.6, which is identical with the north end line of the Mayflower lode, unsurveyed, would be over 600 feet if the S.W. corner was identical with Cor.No.3 Yaqui Scout lode, Sur.No.3498, as reported in that survey, so said Verde No.6 has been smended and the S.W. Cor. pulled in.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	employed by Ralph L. Motz
	in running, measuring, and marking the lines, corners, and
	notes of the survey of the mining claim of
	son and J. Kruger
and showing the respective capacities in wh	• · · · · · · · · · · · · · · · · · · ·
will also respective capacities in wil	
	R. A. Ziesemer, Chainman.
	, Chainman.
	, Axman.
	Flagman.
FINAL OAT	HS OF ASSISTANTS.
W. I, R. A. Ziesemer	
	, do solemnly swear that wa assisted
Ralph L. Motz United Sta	ates Mineral Surveyor, in marking the corners and surveying
the houndaries of the minimum.	The sales of
the boundaries of the mining claim of	m Frankenberg, I. Jacobson and J. Kruger
known as the Filgrim	
represented in the foregoing field notes as he	aving been surveyed by said mineral surveyor and under his
direction; and that said survey has been in al	ll respects, to the best of our knowledge and belief, faithfully
	ndary monuments established according to law and the instruc-
ions furnished by the United States Surveyor-	
	General for Arizona. Chainman.
	, Chainman.
	Axman.
	, Flagman.
Subscribed and sworn to b	by the above-named persons before me this 17th
day of June	, ₁₉ 20
	Charles Rloods
	Notary Public, in and for the County of
	Cochise, State of Arizona. My commission expires May 23, 1921.
	0 - / - / - 1

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ral	oh L. Motz		, U. S. Min	neral Surveyor
do solemnly swear th	nat, in pursuance	of instructions re-	ceived from the	United States
Surveyor General for	Ari	zona		, dated
May 17	, 192	20 , I have, in stric	ct conformity to	the laws of the
United States, the of				
of said Surveyor Ger				
Claim of Sam Fran				
	PILGRI	Lode.		
situate in		Warren		lining District,
Cochise		County, Ar	izona	, in Section
18 , Towns	hip No. 23 S	Range No. 24 E.	G&SRB	& M
and designated as Sur	rvey No. 3677			as represented
in the foregoing field				
as distinctly marked l		**		_
of the location certific				
said instructions, and				
petuated in strict acc				
under; and I do furt				
field notes of said su				
improvements made u				
are as therein fully st				
thereof are specified t				
said labor or improve				
of expenditures upon a				
		Roll	h & ma	*
			h L. mo U. S. Miñ	eral Surveyor.
Subscribed and sw	orn to by the said	Ralph L. Mo	tz	
	urveyor, before me			
	, 19			

Charles Klooods

Notary Public, in and for the County of Cochise, State of Arizona.

My commission expires May 23, 1920.

i—1044

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
July 6	., 1920
I, U. S. Surveyor-General for Arizona,	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the mining claim of Sam Frankenberg, I. Jacobson and J. K	he surve ruger
known as the PILGRIM Lode,	
situate in Warren	
Mining District, Cochise County, Arizona	
in Section 18 , Township No. 23 S. , Range No. 24 E. G&SRB&M. designated as Survey No. 3677 , has been correctly copied from the originals of this office; that said Field Notes furnish such an accurate description of said mining claim a incorporated into a patent, serve fully to identify the premises, and that such reference is made to natural objects or permanent monuments as will perpetuate and fix the locus thereof. And I further certify that five hundred dollars' worth of labor has been expended or is ments made upon said mining claim by claimants or their grantors, and that said improconsist of . At time of survey. 1 cut. value \$180.	on file in as will, if the therein improve- vements
and that no portion of said labor or improvements has been included in the estimate of expension any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,	
Arizona is correct and in conformity with the foregoing Field Notes.	
Frank P. Trott,	
United States Surveyor-General for Arizona.	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,
July 6 , 19 20
I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Sam Frankenberg, 1. Jacobson and J. Kruger.
, known as the
PILGRIM Lode.
ituate in Marren mining district,
Cochise County, Arizona
1 Section 18 , Township No. 23 S. , Range No.24 E.G&SR
B&M , designated as Survey No. 3677
xecuted by, U. S. Mineral
urveyor, June 16, 1920, ,xxxx, under my instructions dated
May 17, 1920 , paxx, have been critically examined and the necessary cor-
ctions and explanations made, and the said Field Notes and Return, and the Survey they describe,
e hereby approved. The certified copy of the location certificate filed by the applicant for survey is
file in this office and a true copy of said certified copy of said location certificate is included and made
part of the transcript of the field notes.
Ames & Street
U.S. Surveyor General for Arizona.